

Haulotte

CATALOGUE



ELECTRIC SCISSORS



	NARROW MODELS			LARGE MODELS		
	Optimum 8	Compact 8N	Compact 10N*	Compact 10	Compact 12	Compact 14*
Working height	7.77 m	8 m	9.8 m	10 m	11.75 m	13.75 m
Lift capacity - inside	230 kg (2 pers.)	350 kg (2 pers.)	230 kg (2 pers.)	450 kg (3 pers.)	320 kg (3 pers.)	320 kg (3 pers.)
Lift capacity - outside	230 kg (1 pers.)	350 kg (1 pers.)	-	450 kg (1 pers.)	320 kg (1 pers.)	-
Platform size - extended	2.59 x 0.74 m	3.32 m	3.32 m	3.32 m	3.32 m	3.32 m
Overall width	0.79 m	0.81 m	0.81 m	1.17 m	1.17 m	1.17 m
Length	1.9 m	2.5 m	2.5 m	2.5 m	2.5 m	2.5 m
Weight	1590 kg	2120 kg	2160 kg	2490 kg	2940 kg	3070 kg

VERTICAL MASTS



	Star 6	Star 6 PRO	Star 6 CRUISE	Star 8S*	Star 10
Working height	5.8 m	5.8 m	5.8 m	7.95	10
Horizontal outreach	0.4 m (opt)	-	0.4 m (o)	0.4 m (o)	3
Lift capacity - inside	230 kg	210 kg	200 kg	200 kg	200 kg
Lift capacity - outside	230 kg	-	200 kg	-	200 kg
Length	1.4 m	1.85 m	1.44 m	1.4 m	2.7 m
Width	0.79 m	0.79 m	0.78 m	0.79 m	1 m
Height - stowed	1.75 m	1.75 m	1.72 m	1.98 m	1.99 m
Weight	835 kg	890 kg	1175 kg	1150 kg	2677 kg



	HA12 CJ	HA12 CJ+	HA12 IP	SIGMA 16	SIGMA 16 PRO
Working height	11.68 m	11.68 m	12 m	16.1 m	16.7 m
Horizontal outreach	6.94 m	7.22 m	6.5 m	8.3 m	8 m
Up and over clearance	4.74 m	4.74 m	5.3 m	7.4 m	
Lift capacity - In & Out	250 kg	230 kg	230 kg	230 kg (2 pers.)	
Width	12 m	12 m	135 m	175 m	
Weight	7065 kg	790 kg	5900 kg	6900 kg	6950 kg
360° continuous rotation	-	-	-	-	
Weight	-	-	-	-	✓

PUSH-AROUNDS



	Quick Up 8	Quick Up 9	Quick Up 11	Quick Up 12	Quick Up 14
Working height	8.1 m	9.5 m	10.8 m	12.3 m	13.7 m
Lift capacity	159 kg	159 kg	159 kg	136 kg	136 kg
Platform size	0.68 x 0.66 m	0.68 x 0.66 m	0.68 x 0.66 m	0.68 x 0.66 m	0.68 x 0.66 m
Width	0.8 m	0.8 m	0.8 m	0.8 m	0.8 m
Length	1.28 m	1.28 m	1.34 m	1.4 m	1.47 m
Weight (AC)	340 kg	360 kg	380 kg	415 kg	455 kg
Weight (DC)	382 kg	402 kg	422 kg	457 kg	497 kg

ELECTRIC ROUGH TERRAIN SCISSORS



	HS15E	HS15E PRO	HS18 E	HS18E MAX	HS18E PRO
Working height	15 m		18 m		
Lift capacity	750 kg (4 pers.)		750 kg (4 pers.)		
Platform size - extended	4.9 m	5.9 m	4.9 m	5.9 m	5.9 m
Width	2.3 m		2.3 m		
Length	4.4 m		4.4 m		
Weight	7480 kg		8048 kg		
Oscillating axle	-	✓	-	-	✓

DIESEL ROUGH TERRAIN



	Compact 10 DX	Compact 12 DX
Working height	10.28 m	12.06 m
Lift capacity	565 kg (3 pers.)	450 kg (3 pers.)
Platform size - extended	3.7 x 1.45 m	3.7 x 1.45 m
Width	1.78 m	1.78 m
Length	3.18 m	3.18 m
Weight	3350 kg	3865 kg
Oscillating axle	-	-

ELECTRIC ROUGH TERRAIN ARTICULATING BOOMS



	HA16E	HA16E PRO	HA20 LE	HA20 LE PRO
Working height	16 m		20.3 m	20.4 m
Horizontal outreach	7.9 m		11.9 m	11.9 m
Up and over clearance outside	7.9 m		8.4 m	8.5 m
Lift capacity inside and outside	300 kg (2 pers.)		250 kg - opt 350	250 kg - opt 350
Width	2.3 m		2.4 m	2.4 m
Weight	7030 kg	7120 kg	9375 kg	9785 kg
360° continuous rotation	-	Optional equipment	-	✓
Oscillating axle	-	✓	✓	✓
4 wheel steer	-	✓	-	✓
Jib 3D	-	-	-	-

DIESEL ROUGH TERRAIN ARTICULATING BOOMS



	HA16E	HA16E PRO	HA16E	RTJ	RTJ PRO	HA25 RTJ PRO	HA32 RTJ PRO	HA41 RTJ PRO
Working height	16 m	16 m	16 m	20.4 m	20.4 m	20.4 m	20.4 m	20.4 m
Horizontal outreach	8.3 m	8.3 m	8.3 m	11.9 m	11.9 m	17.5 m	21.6 m	20.1 m
Up and over clearance outside	7.85 m	7.85 m	7.85 m	8.5 m	8.5 m	9.3 m	11.35 m	17.5 m
Lift capacity inside and outside	230 kg	230 kg	230 kg	250 kg - opt 350	250 kg - opt 350	250 kg - opt 350	250 kg	230 kg
Width	2.3 m	2.3 m	2.3 m	2.4 m	2.4 m	2.48 m	2.53 m	2.53 m
Weight	-	-	-	9180 kg	9430 kg	15500 kg	20700 kg	23900 kg
360° continuous rotation	-	-	✓	-	✓	✓	✓	✓
Oscillating axle	-	✓	✓	-	✓	✓	✓	✓
4 wheel steer	-	-	✓	-	✓	✓	✓	✓

DIESEL ROUGH TERRAIN TELESCOPIC BOOM



	HT16 RTJ PRO	HT23 RTJ O	HT23 RTJ PRO	HT29 RTJ PRO	HT43 RTJ PRO
Working height	16.1 m	22.5 m		10.28 m	12.06 m
Horizontal outreach	13 m	18.3 m		565 kg (3 pers.)	450 kg (3 pers.)
Lift capacity	250 kg - (Opt 350 kg)	230 kg - (Opt 450 kg)		230 kg - (Opt 350 kg)	230 kg - 450 kg
Width	2.28 m	2.47 m		2.48 m	2.5 m
Weight	7930 kg	13320 kg	13400 kg	18100 kg	21400 kg
360° continuous rotation	✓	✓	✓	✓	✓
Oscillating axle	✓	✓	✓	✓	✓
4 wheel steer	✓	-	✓	✓	✓

**Head Office**

Gemini House,
Bus Depot Lane,
Deonar, Mumbai,
Maharashtra
400088

Factory

22WJ+JMX, S Central
Rd, MIDC Industrial
Area, Shiravane,
Nerul, Navi Mumbai,
Maharashtra 400706

Contact

+91 98330 28000
+91 22 6681 9999

Email

info@geminiindia.com

